

# THE ULTIMATE BEAN-TO-CUP VENDING SOLUTION

Sigma  
TOUCH



**MILKSHAKES  
& FRAPPUCCINO  
STYLE COFFEE  
AVAILABLE**

**BRANDED  
GRAPHICS &  
ADVERTISING  
OPTIONS**

**19 inch  
HD-TOUCH  
SCREEN**

Sigma  
TOUCH

# Sigma TOUCH

Ground or instant coffee, hot chocolate, freshly brewed or instant tea, milkshakes, frappuccino-style coffee and refreshing cold drinks.

The Sigma Touch delivers the superb drinks standard that customers expect, along with a second-to-none user experience. Add a chiller unit to offer frappuccino-style drinks, cool milkshakes and more!

*Milkshakes and Frappuccino-Style Cool Coffee*

- 

Attract customers with a gorgeous touch screen interface

**Bring advertisers to your machine; host adverts for increased revenue**
- 

Cater to everyone with a huge beverage selection

**Keep users coming back with impressive drinks quality**
- 

Save the planet by using your own mugs with the Sigma's cup sensor

**Reduce costs with Sigma's built-in energy saving management software**
- 

Free audit software to download drink sales information to a USB drive

**Single fresh brew, double fresh brew and whole bean models available**





# VANILLA MOCHA - CHILLED LATTE - STRAWBERRY MILKSHAKE

A huge range of customisable drinks options

## Customisation



Customise screen branding and video advertisements. Why not promote drinks and benefit from additional advertising revenue?

## Retail Side Pod



Add a retail-friendly side pod with cup slots and condiments holders to your machine, in the branding of your choice.

## Payment Systems



Cash, card or contactless payments, the Sigma Touch can be configured to support most payment methods.

High capacity for fewer operator visits and happy customers

## THE COMPLETE COMBO

Why not offer your customers the full package by combining their free standing hot drinks machine with a snack machine and/or a bottle vendor!



DESIGNED AND MADE IN BRITAIN

VISIT [WWW.WESTOMATIC.COM](http://WWW.WESTOMATIC.COM)



ITEM	DESCRIPTION	AS STANDARD
Audit capability	USB	Standard
	Wireless telemetry	Standard
Automatic cup dispenser	150 ml, 180 ml or 250 ml cup dispenser	Standard
Cup sensor	Cup sensor & stand (for use of own cup or jug)	Standard
	Red LED cup display lighting	Standard
Advertising Screen	19" Screen allowing advertising - still or video	Standard
	19-inch touch sensitive screen	Standard
	Westomatic branded menu system	Standard
Menu selection	Wheelchair access - buttons available below 1.2 metres	Standard
	Bespoke branded menu	Optional
	Water filter	Specify 3M or Brita kit & filter (to reduce scale build-up)
Jug	Thermal stainless steel jug	Optional
Lid holder	Stainless steel lid holder (external fitting)	Optional
Lock	3 position lock & 2 keys	Standard
	Payment system	Coin and / or cashless payment system
Graphics	Lockable cash box	Optional
	Payment system	Coin and / or cashless payment system
Graphics	Sigma style acrylic door Westomatic graphic	Standard
	Bespoke decals	Optional
Dex Control Board	Data acquisition if using multiple payment methods	Optional

## DIMENSIONS

Height (mm)	1830
Width (mm)	710
Depth (mm)	765
Minimum sitting distance from back wall to rear of cabinet (mm)	100
Weight (kg approx)	165

## CUP CAPACITY (9oz/12oz)

Cups	479 / 510
------	-----------

## CAPACITY (APPROXIMATELY FOR A 9oz DRINK)

Beans (Gram Throw 9g)	2000g/222 drinks
Leaf Tea (Gram Throw 2.5g)	3500g/1480 drinks
Milk Powder (Gram Throw 4g - flat white)	3200g/800 drinks
Chocolate (Gram Throw 20g)	2450g/115 drinks
Sugar	3900g
Instant Coffee (Gram Throw 1.2g)	1200g/837 drinks

## ELECTRICAL SERVICES & RATINGS - POWER

Voltage (Volts AC + / - 10%)	230 - 240
Current (amps)	13
Frequency (Hz)	50

## ENERGY CONSUMPTION

Idle Phase (watt hrs / hr)	120
EVA / EMP Rating	← B

## WATER REQUIREMENTS

Pressure	138 kpa (1.37 Bar) min - 828 kpa (8.27 Bar) max
Supply	15 mm BSP from rising main with a stop tap

## LANGUAGE AND ACCESSIBILITY

The Sigma Touch offers a range of language options including French, German, Spanish, Polish and Russian as standard. As well as wheelchair accessibility options making the machines easier to use at an appropriate height.



Tel: +44 (0) 1626 323100 • Fax: +44 (0) 1626 369400  
 sales@westomatic.com • www.westomatic.com

E&OE Westomatic Vending Services Limited reserve the right to alter specifications and availability without notice.

